

FIG. 1




FIG. 2




FIG. 3




FIG. 4

| COMPUTER<br>SYSTEM | SOFTWARE<br>MANAGEMENT UTILITIES | NETWORK<br>ADDRESSES |
|--------------------|----------------------------------|----------------------|
| SYSTEM 1           | TIVOLI                           | 1                    |
| SYSTEM 3           |                                  | 2                    |
| SYSTEM 6           |                                  | 3                    |
| SYSTEM 2           | SUN                              | 4                    |
| SYSTEM 4           |                                  | 5                    |
| SYSTEM 5           | HOMEGROWN                        | 6                    |

FIG. 5

FIG. 6

FIG. 7

FIG. 7 is a screenshot of a "RUN COMMAND" window. The window has a title bar with standard window controls. Below the title bar is a tabbed interface with four tabs: "GENERAL" (602), "OPTIONS" (603), "HOSTS" (604), and "GROUPS" (605). The "GENERAL" tab is currently selected. Inside the "GENERAL" tab, there is a large rectangular area (710) with a dashed border. This area contains a horizontal line (64) and a vertical line (64) intersecting at a point. The intersection point is labeled "64" (720). Below the dashed area, there are two checkboxes: "BEFORE RUNNING VERIFY THAT HOSTS WILL RESPOND" (730) and "STREAM OUTPUT" (740). To the right of these checkboxes, there are two radio buttons labeled "ISH" and "ASH" under the heading "REMOTE SHELL:". Below the radio buttons, there is a text area labeled "REMOTE SHELL OPTIONS". At the bottom of the window, there is a row of five buttons: "RUN" (620), "SAVE" (622), "CANCEL" (624), "HELP" (626), and a question mark button (?). The "RUN" button is highlighted.




FIG. 8




FIG. 9



1000

EXECUTION PROGRESS: <COMMAND NAME>

NAME

COMMAND SPECIFICATION

1010

1015

1020

WAITING 2 WORKING 1 SUCCESSFUL 0 FAILED 1

1005

SELECTED HOST

GROUP

1050

OUTPUT:

1055

CLOSE STOP HIDE OUTPUT HELP ?

1060

1065

1070

FIG. 10




FIG. 11

096498-0904




FIG. 12




FIG. 13